

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

Location	Date	pH, standard units	Specific Conductance umhos@25°C	Temperature °C
BHLL.A0000.00.00	05/09/2006	8.14	306	11.15
BHLL.A0000.00.00	05/09/2006	7.94	312	11.96
BHLL.A0000.00.05	05/09/2006	8.14	306	11.24
BHLL.A0025.00.00	05/09/2006	8.21	309	11.83
BHLL.A0050.00.00	05/09/2006	8.17	300	11.83
BHLL.A0075.00.00	05/09/2006	8.25	309	11.53
BHLL.A0100.00.00	05/09/2006	8.22	309	11.98
BHLL.A0125.00.00	05/09/2006	8.26	309	11.90
BHLL.A0150.00.00	05/09/2006	8.21	309	12.15
BHLL.A0175.00.00	05/09/2006	8.22	309	12.12
BHLL.A0200.00.00	05/09/2006	8.24	309	11.98
BHLL.A0225.00.00	05/09/2006	8.22	310	11.90
BHLL.A0250.00.00	05/09/2006	8.22	310	11.71
BHLL.A0275.00.00	05/09/2006	8.22	310	11.69
BHLL.A0300.00.00	05/09/2006	8.22	311	12.09
BHLL.A0325.00.00	05/09/2006	8.26	310	12.09
BHLL.A0350.00.00	05/09/2006	8.24	310	12.10
BHLL.A0375.00.00	05/09/2006	8.27	309	11.56
BHLL.A0400.00.00	05/09/2006	8.20	309	11.70
BHLL.A0425.00.00	05/09/2006	8.22	310	11.99
BHLL.A0450.00.00	05/09/2006	8.23	310	12.18
BHLL.A0475.00.00	05/09/2006	8.23	309	11.91
BHLL.A0500.00.00	05/09/2006	8.30	310	12.34
BHLL.A0525.00.00	05/09/2006	8.25	310	11.92
BHLL.A0550.00.00	05/09/2006	8.27	309	11.74
BHLL.A0575.00.00	05/09/2006	8.29	311	11.99
BHLL.A0600.00.00	05/09/2006	8.27	317	11.85
BHLL.A0625.00.00	05/09/2006	8.17	323	12.07
BHLL.A0650.00.00	05/09/2006	8.27	316	11.65
BHLL.A0662.00.00	05/09/2006	8.19	460	12.24
BHLL.A0675.00.00	05/09/2006	8.23	310	11.84
BHLL.A0700.00.00	05/09/2006	8.25	309	12.23
BHLL.A0725.00.00	05/09/2006	8.18	305	11.75
BHLL.A0750.00.00	05/09/2006	8.18	310	12.00
BHLL.A0775.00.00	05/09/2006	8.19	311	11.85
BHLL.A0800.00.00	05/09/2006	8.19	310	11.60
BHLL.A0825.00.00	05/09/2006	8.18	310	11.84
BHLL.A0850.00.00	05/09/2006	8.19	312	11.72
BHLL.A0875.00.00	05/09/2006	8.21	312	11.71
BHLL.A0900.00.00	05/11/2006	8.12	301	10.15
BHLL.A0925.00.00	05/11/2006	8.06	304	10.04
BHLL.A0950.00.00	05/11/2006	8.01	302	10.15
BHLL.A0975.00.00	05/11/2006	8.03	302	10.14
BHLL.A1000.00.00	05/11/2006	8.11	301	10.25
BHLL.A1025.00.00	05/11/2006	8.08	302	10.10

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

Location	Date	pH, standard units	Specific Conductance umhos@25°C	Temperature °C
BHLL.A1050.00.00	05/11/2006	8.09	310	10.04
BHLL.A1075.00.00	05/11/2006	8.09	305	10.03
BHLL.A1100.00.00	05/11/2006	8.04	306	10.13
BHLL.A1125.00.00	05/11/2006	8.06	302	9.86
BHLL.A1150.00.00	05/13/2006	8.14	304	9.33
BHLL.A1150.00.05	05/13/2006	8.11	304	9.52
BHLL.A1150.00.10	05/13/2006	8.07	305	9.63
BHLL.A1175.00.00	05/13/2006	8.12	304	9.37
BHLL.A1175.00.05	05/13/2006	8.10	305	9.51
BHLL.A1200.00.00	05/11/2006	8.01	306	10.16
BHLL.A1225.00.00	05/11/2006	8.04	303	10.00
BHLL.A1250.00.00	05/11/2006	8.06	303	9.95
BHLL.A1275.00.00	05/11/2006	8.00	305	10.15
<b>BHLL.A1300 (Outfall Drain)</b>	<b>05/11/2006</b>	<b>7.87</b>	<b>892</b>	<b>11.60</b>
BHLL.A1300.00.00	05/11/2006	7.98	783	11.20
BHLL.A1325.00.00	05/11/2006	8.07	337	10.06
BHLL.A1350.00.00	05/11/2006	8.05	321	10.09
BHLL.A1375.00.00	05/11/2006	8.07	307	9.95
BHLL.A1400.00.00	05/13/2006	8.11	304	9.56
BHLL.A1400.00.05	05/13/2006	8.10	305	9.60
BHLL.A1425.00.00	05/11/2006	8.06	303	9.88
BHLL.A1450.00.00	05/11/2006	8.08	305	9.99
BHLL.A1475.00.00	05/11/2006	8.07	303	9.88
BHLL.A1500.00.00	05/11/2006	8.04	304	9.98
BHLL.A1525.00.00	05/11/2006	7.99	306	10.24
BHLL.A1550.00.00	05/11/2006	7.89	311	10.07
BHLL.A1575.00.00	05/11/2006	8.01	304	10.14
BHLL.A1600.00.00	05/11/2006	8.06	303	9.93
BHLL.A1625.00.00	05/11/2006	8.07	303	9.89
BHLL.A1650.00.00	05/12/2006	7.79	306	10.33
BHLL.A1675.00.00	05/12/2006	7.94	303	10.2
BHLL.A1700.00.00	05/12/2006	7.91	304	10.14
BHLL.A1725.00.00	05/13/2006	8.10	305	9.68
BHLL.A1725.00.05	05/13/2006	8.09	305	9.69
BHLL.A1725.00.10	05/13/2006	8.12	305	9.70
BHLL.A1750.00.00	05/13/2006	8.10	305	9.70
BHLL.A1750.00.05	05/13/2006	8.10	305	9.70
BHLL.A1775.00.00	05/13/2006	8.10	305	9.72
BHLL.A1775.00.05	05/13/2006	8.10	305	9.75
BHLL.A1800.00.00	05/12/2006	8.08	303	10.19
BHLL.A1825.00.00	05/12/2006	8.03	305	10.44
BHLL.A1850.00.00	05/12/2006	7.98	307	10.57
BHLL.A1875.00.00	05/12/2006	8.01	303	10.19
BHLL.A1900.00.00	05/12/2006	8.07	303	10.08
BHLL.A1925.00.00	05/12/2006	8.04	301	10.07

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

Location	Date	pH, standard units	Specific Conductance umhos@25°C	Temperature °C
BHLL.A1950.00.00	05/13/2006	8.09	305	9.67
BHLL.A1950.00.05	05/13/2006	8.11	306	9.76
BHLL.A1950.00.10	05/13/2006	8.09	305	9.77
BHLL.A1975.00.00	05/13/2006	8.08	304	9.64
BHLL.A1975.00.05	05/13/2006	8.08	305	9.73
BHLL.A1975.00.10	05/13/2006	8.10	306	9.76
BHLL.A2000.00.00	05/13/2006	8.11	306	9.78
BHLL.A2025.00.00	05/13/2006	8.12	308	10.00
BHLL.A2050.00.00	05/13/2006	8.14	308	9.96
BHLL.A2075.00.00	05/13/2006	8.11	309	9.81
BHLL.A2075.00.05	05/13/2006	8.12	309	9.87
BHLL.A2100.00.00	05/12/2006	8.05	305	10.16
BHLL.A2125.00.00	05/12/2006	8.08	305	10.17
BHLL.A2150.00.00	05/12/2006	8.07	305	10.18
BHLL.A2175.00.00	05/12/2006	8.12	302	10.24
BHLL.A2200.00.00	05/12/2006	8.11	299	10.25
BHLL.A2225.00.00	05/12/2006	8.15	303	10.18
<b>BHLL.A2239 (Outfall Drain)</b>	<b>05/12/2006</b>	<b>7.85</b>	<b>759</b>	<b>10.13</b>
BHLL.A2250.00.00	05/12/2006	8.16	308	10.46
BHLL.A2275.00.00	05/12/2006	8.14	303	10.31
BHLL.A2300.00.00	05/12/2006	8.14	303	10.34
BHLL.A2325.00.00	05/12/2006	8.13	303	10.36
BHLL.A2350.00.00	05/12/2006	8.12	283	10.40
BHLL.A2375.00.00	05/12/2006	8.05	308	10.46
BHLL.A2400.00.00	05/13/2006	8.14	305	9.83
BHLL.A2400.00.05	05/13/2006	8.14	305	9.86
BHLL.A2425.00.00	05/13/2006	8.15	305	9.82
BHLL.A2425.00.05	05/13/2006	8.12	305	9.86
BHLL.A2450.00.00	05/13/2006	8.15	304	9.82
BHLL.A2450.00.05	05/13/2006	8.12	304	9.83
BHLL.A2475.00.00	05/13/2006	8.15	306	9.01
BHLL.A2500.00.00	05/12/2006	8.02	323	10.91
BHLL.A2500.00.00	05/13/2006	8.12	305	10.04
BHLL.A2525.00.00	05/12/2006	8.09	307	10.54
BHLL.A2550.00.00	05/12/2006	8.14	306	10.41
BHLL.A2575.00.00	05/12/2006	8.13	305	10.54
BHLL.A2600.00.00	05/12/2006	8.07	306	10.28
BHLL.A2625.00.00	05/12/2006	8.12	306	10.32
BHLL.A2650.00.00	05/12/2006	7.97	316	10.88
BHLL.A2675.00.00	05/12/2006	8.10	306	10.59
BHLL.A2700.00.00	05/12/2006	8.13	308	10.54
BHLL.A2725.00.00	05/12/2006	8.13	305	10.29
<b>BHLL.A2735 (Outfall Drain)</b>	<b>05/12/2006</b>	<b>8.03</b>	<b>766</b>	<b>10.14</b>
BHLL.A2735.00.00	05/12/2006	8.07	761	10.17
BHLL.A2750.00.00	05/12/2006	8.16	324	10.27

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

<b>Location</b>	<b>Date</b>	<b>pH, standard units</b>	<b>Specific Conductance umhos@25°C</b>	<b>Temperature °C</b>
BHLL.A2775.00.00	05/12/2006	8.11	306	10.34
BHLL.A2800.00.00	05/12/2006	8.14	304	10.26
BHLL.A2825.00.00	05/12/2006	8.16	302	10.22
BHLL.A2850.00.00	05/12/2006	8.16	302	10.13
BHLL.A2875.00.00	05/12/2006	8.14	303	10.36
BHLL.A2900.00.00	05/12/2006	8.12	305	10.24
BHLL.A2925.00.00	05/12/2006	7.87	311	10.78
BHLL.A2950.00.00	05/12/2006	8.05	303	10.35
<b>BHLL.A2960 (Outfall Drain)</b>	<b>05/12/2006</b>	<b>7.99</b>	<b>320</b>	<b>10.10</b>
BHLL.A2960.00.00	05/12/2006	7.96	511	10.14
BHLL.A2975.00.00	05/12/2006	8.03	308	10.44
BHLL.A3000.00.00	05/12/2006	7.95	301	10.40
BHLL.A3025.00.00	05/12/2006	8.00	298	10.35
BHLL.A3050.00.00	05/12/2006	8.03	296	10.37
BHLL.A3075.00.00	05/12/2006	7.91	302	10.66
BHLL.A3100.00.00	05/12/2006	8.06	295	10.37
BHLL.A3125.00.00	05/12/2006	8.04	295	10.33
BHLL.A3150.00.00	05/12/2006	8.01	294	10.50
BHLL.A3175.00.00	05/12/2006	8.03	295	10.56
BHLL.A3200.00.00	05/12/2006	8.07	296	10.45
BHLL.A3225.00.00	05/12/2006	8.01	296	10.57
BHLL.A3250.00.00	05/12/2006	7.98	301	10.80
BHLL.A3275.00.00	05/12/2006	8.04	297	10.67
BHLL.A3300.00.00	05/12/2006	7.99	299	10.62
BHLL.A3325.00.00	05/12/2006	7.82	308	10.99
BHLL.A3350.00.00	05/12/2006	8.02	297	10.64
BHLL.A3375.00.00	05/12/2006	8.06	296	10.53
BHLL.A3400.00.00	05/12/2006	8.04	296	10.32
BHLL.A3425.00.00	05/12/2006	7.81	299	10.42
BHLL.A3450.00.00	05/12/2006	7.99	296	10.32
BHLL.A3475.00.00	05/12/2006	8.03	297	10.27
BHLL.A3500.00.00	05/12/2006	7.77	321	10.52
BHLL.A3525.00.00	05/12/2006	8.06	297	10.05
BHLL.A3525.00.05	05/12/2006	8.06	297	10.15
BHLL.A3525.00.10	05/12/2006	8.03	303	10.38
BHLL.A3550.00.00	05/12/2006	8.07	297	10.02
BHLL.A3550.00.05	05/12/2006	8.06	301	10.18
BHLL.A3550.00.10	05/12/2006	8.05	307	10.46
BHLL.A3575.00.00	05/12/2006	8.07	301	10.11
BHLL.A3575.00.05	05/12/2006	8.06	304	10.18
BHLL.A3575.00.10	05/12/2006	8.09	305	10.40
BHLL.A3600.00.00	05/12/2006	8.10	308	10.62
BHLL.A3625.00.00	05/12/2006	8.06	309	10.40
BHLL.A3650.00.00	05/12/2006	8.09	313	10.43
BHLL.A3667.00.00	05/12/2006	7.89	411	10.44

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

Location	Date	pH, standard units	Specific Conductance umhos@25°C	Temperature °C
BHLL.A3670 (Outfall Drain)	05/12/2006	7.79	417	10.44
BHLL.A3670.00.00	05/12/2006	7.83	417	10.44
BHLL.A3675.00.00	05/12/2006	7.91	415	10.44
BHLL.A3700.00.00	05/12/2006	8.01	297	10.26
BHLL.A3725.00.00	05/12/2006	8.17	295	10.28
BHLL.A3750.00.00	05/12/2006	8.09	296	10.33
BHLL.A3775.00.00	05/12/2006	8.15	296	10.27
BHLL.A3800.00.00	05/12/2006	8.14	295	10.16
BHLL.A3825.00.00	05/12/2006	8.12	296	10.23
BHLL.A3850.00.00	05/12/2006	8.14	296	10.20
BHLL.A3875.00.00	05/12/2006	8.14	296	10.18
BHLL.A3900.00.00	05/12/2006	8.15	296	10.27
BHLL.A3925.00.00	05/12/2006	8.18	296	10.25
BHLL.A3950.00.00	05/12/2006	8.16	296	10.24
BHLL.A3975.00.00	05/12/2006	8.18	298	10.22
BHLL.A4000.00.00	05/12/2006	8.15	297	10.13
BHLL.A4025.00.00	05/12/2006	8.04	302	10.12
BHLL.A4050.00.00	05/12/2006	8.13	297	10.18
BHLL.A4075.00.00	05/12/2006	8.13	300	10.09
BHLL.A4100.00.00	05/12/2006	8.13	298	10.18
BHLL.A4125.00.00	05/13/2006	8.10	307	10.06
BHLL.A4150.00.00	05/13/2006	8.11	307	10.08
BHLL.A4175.00.00	05/13/2006	8.11	308	10.13
BHLL.A4200.00.00	05/13/2006	8.14	307	10.10
BHLL.A4225.00.00	05/13/2006	8.12	306	10.11
BHLL.A4250.00.00	05/13/2006	8.12	307	10.13
BHLL.A4275.00.00	05/13/2006	8.11	307	10.07
BHLL.A4300.00.00	05/13/2006	8.10	307	10.11
BHLL.A4325.00.00	05/13/2006	8.10	307	10.10
BHLL.A4350.00.00	05/13/2006	8.15	307	10.27
BHLL.A4375.00.00	05/13/2006	8.09	308	10.31
BHLL.A4400.00.00	05/13/2006	8.09	308	10.31
BHLL.A4425.00.00	05/13/2006	8.09	309	10.29
BHLL.A4450.00.00	05/13/2006	8.10	308	10.33
BHLL.A4475.00.00	05/13/2006	8.09	308	10.32
BHLL.A4500.00.00	05/13/2006	8.10	309	10.32
BHLL.A4525.00.00	05/13/2006	8.09	308	10.32
BHLL.A4550.00.00	05/13/2006	8.08	308	10.36
BHLL.A4575.00.00	05/13/2006	8.10	308	10.40
BHLL.A4586.P1 (Outfall Drain)	05/13/2006	8.07	307	10.72
BHLL.A4600.00.00	05/13/2006	8.10	305	10.44
BHLL.A4625.00.00	05/13/2006	8.13	308	10.51
BHLL.A4650.00.00	05/13/2006	8.12	309	10.45
BHLL.A4675.00.00	05/13/2006	8.13	308	10.31
BHLL.A4700.00.00	05/13/2006	8.13	307	10.27

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

<b>Location</b>	<b>Date</b>	<b>pH, standard units</b>	<b>Specific Conductance umhos@25°C</b>	<b>Temperature °C</b>
BHLL.A4725.00.00	05/13/2006	8.12	308	10.33
BHLL.A4750.00.00	05/13/2006	8.10	308	10.21
BHLL.A4775.00.00	05/13/2006	8.12	307	10.19
BHLL.A4800.00.00	05/13/2006	8.10	308	10.13
BHLL.A4825.00.00	05/13/2006	8.12	306	10.10
<b>BHLL.A4830 (Outfall Drain)</b>	<b>05/13/2006</b>	8.14	307	10.12
BHLL.A4850.00.00	05/13/2006	8.14	306	10.24
BHLL.A4875.00.00	05/13/2006	8.12	307	10.11
BHLL.A4900.00.00	05/13/2006	8.14	306	10.14
BHLL.A4925.00.00	05/13/2006	8.12	307	10.14
BHLL.A4950.00.00	05/13/2006	8.11	309	10.15
BHLL.A4975.00.00	05/13/2006	8.08	308	10.21
BHLL.A5000.00.00	05/13/2006	8.06	314	10.26
BHLL.A5025.00.00	05/13/2006	8.08	312	10.18
BHLL.A5050.00.00	05/13/2006	8.05	318	10.30
BHLL.A5075.00.00	05/13/2006	8.05	318	10.39
BHLL.A5100.00.00	05/13/2006	8.05	318	10.35
BHLL.A5125.00.00	05/13/2006	8.05	318	10.34
BHLL.A5150.00.00	05/13/2006	8.05	319	10.36
BHLL.A5175.00.00	05/13/2006	8.03	319	10.50
BHLL.A5200.00.00	05/13/2006	8.03	319	10.50
BHLL.A5225.00.00	05/13/2006	8.03	322	10.58
BHLL.A5250.00.00	05/13/2006	8.00	323	10.52
<b>BHLL.AP1 (Outfall Drain)</b>	<b>05/09/2006</b>	7.65	1194	12.02
BHLL.B0000.00.00	05/09/2006	8.24	342	11.85
BHLL.B0000.00.00	05/09/2006	8.16	311	11.86
BHLL.B0000.00.05	05/09/2006	8.18	311	11.87
BHLL.B0025.00.00	05/09/2006	8.19	310	12.00
BHLL.B0050.00.00	05/09/2006	8.25	309	12.55
BHLL.B0075.00.00	05/09/2006	8.28	311	12.50
BHLL.B0100.00.00	05/09/2006	8.24	310	12.11
BHLL.B0125.00.00	05/09/2006	8.02	335	13.29
BHLL.B0150.00.00	05/09/2006	8.22	315	12.25
BHLL.B0175.00.00	05/09/2006	8.22	310	12.38
BHLL.B0200.00.00	05/09/2006	8.20	310	12.05
BHLL.B0225.00.00	05/09/2006	8.11	309	11.88
BHLL.B0250.00.00	05/09/2006	8.10	309	11.83
BHLL.B0275.00.00	05/09/2006	8.10	308	11.00
BHLL.B0300.00.00	05/09/2006	8.13	307	11.65
BHLL.B0325.00.00	05/09/2006	8.17	308	11.71
BHLL.B0350.00.00	05/09/2006	8.10	308	11.78
BHLL.B0375.00.00	05/09/2006	8.14	308	11.68
BHLL.B0400.00.00	05/09/2006	8.19	308	11.72
BHLL.B0425.00.00	05/09/2006	8.18	308	11.60
BHLL.B0450.00.00	05/09/2006	8.14	307	11.56

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

<b>Location</b>	<b>Date</b>	<b>pH, standard units</b>	<b>Specific Conductance umhos@25°C</b>	<b>Temperature °C</b>
BHLL.B0475.00.00	05/09/2006	8.19	308	11.59
BHLL.B0500.00.00	05/09/2006	8.31	309	11.50
BHLL.B0525.00.00	05/09/2006	8.25	308	11.55
BHLL.B0550.00.00	05/09/2006	8.26	306	11.54
BHLL.B0575.00.00	05/09/2006	8.26	306	11.49
BHLL.B0600.00.00	05/09/2006	8.28	308	11.55
BHLL.B0625.00.00	05/09/2006	8.32	305	12.03
BHLL.B0650.00.00	05/09/2006	8.27	309	11.51
BHLL.B0675.00.00	05/09/2006	8.28	308	11.58
BHLL.B0700.00.00	05/09/2006	8.27	308	11.64
BHLL.B0725.00.00	05/09/2006	8.26	305	11.70
BHLL.B0750.00.00	05/09/2006	8.26	306	11.61
BHLL.B0775.00.00	05/09/2006	8.26	305	11.62
BHLL.B0800.00.00	05/09/2006	8.30	307	11.73
BHLL.B0825.00.00	05/09/2006	8.27	309	11.70
BHLL.B0850.00.00	05/09/2006	8.25	302	11.60
BHLL.B0875.00.00	05/09/2006	8.28	307	11.75
BHLL.B0900.00.00	05/09/2006	8.23	309	11.47
BHLL.B0925.00.00	05/09/2006	8.29	307	11.41
BHLL.B0950.00.00	05/09/2006	8.31	307	11.61
BHLL.B0975.00.00	05/09/2006	8.32	307	11.54
BHLL.B1000.00.00	05/09/2006	8.28	306	11.36
BHLL.B1025.00.00	05/09/2006	8.27	305	11.47
BHLL.B1050.00.00	05/09/2006	8.22	309	11.55
BHLL.B1075.00.00	05/09/2006	8.23	307	11.53
BHLL.B1100.00.00	05/09/2006	8.27	307	11.50
BHLL.B1125.00.00	05/09/2006	8.30	305	11.41
BHLL.B1150.00.00	05/09/2006	8.20	377	11.26
BHLL.B1175.00.00	05/09/2006	8.28	305	11.53
BHLL.B1200.00.00	05/09/2006	8.21	319	11.59
BHLL.B1225.00.00	05/09/2006	8.29	313	11.63
BHLL.B1250.00.00	05/09/2006	8.28	307	11.58
BHLL.B1275.00.00	05/09/2006	8.28	305	11.58
BHLL.B1300.00.00	05/09/2006	8.23	313	11.59
BHLL.B1325.00.00	05/09/2006	8.26	308	11.47
BHLL.B1350.00.00	05/09/2006	8.25	308	11.51
BHLL.B1375.00.00	05/09/2006	8.28	305	11.50
BHLL.B1400.00.00	05/09/2006	8.27	305	11.52
BHLL.B1425.00.00	05/09/2006	8.27	305	11.47
BHLL.B1450.00.00	05/09/2006	8.27	306	11.37
BHLL.B1475.00.00	05/09/2006	8.27	306	11.39
BHLL.B1500.00.00	05/09/2006	8.28	305	11.37
BHLL.B1525.00.00	05/10/2006	8.02	306	11.57
BHLL.B1550.00.00	05/10/2006	8.03	307	11.59
BHLL.B1575.00.00	05/10/2006	8.05	307	11.66

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

<b>Location</b>	<b>Date</b>	<b>pH, standard units</b>	<b>Specific Conductance umhos@25°C</b>	<b>Temperature °C</b>
BHLL.B1600.00.00	05/10/2006	8.04	307	11.59
BHLL.B1625.00.00	05/10/2006	8.06	306	11.64
BHLL.B1650.00.00	05/10/2006	8.07	307	11.62
BHLL.B1675.00.00	05/10/2006	8.07	307	11.66
BHLL.B1700.00.00	05/10/2006	8.09	307	11.68
BHLL.B1725.00.00	05/10/2006	8.06	307	11.72
BHLL.B1750.00.00	05/10/2006	8.08	307	11.64
BHLL.B1775.00.00	05/10/2006	8.04	307	11.61
BHLL.B1800.00.00	05/10/2006	8.05	308	11.77
BHLL.B1825.00.00	05/10/2006	8.05	307	11.81
BHLL.B1850.00.00	05/10/2006	8.02	311	11.78
BHLL.B1875.00.00	05/10/2006	8.06	307	11.75
BHLL.B1900.00.00	05/10/2006	8.06	310	11.77
BHLL.B1925.00.00	05/10/2006	8.08	308	11.85
BHLL.B1950.00.00	05/10/2006	8.09	308	12.07
BHLL.B1975.00.00	05/10/2006	8.07	310	11.77
BHLL.B2000.00.00	05/10/2006	8.09	308	11.87
BHLL.B2025.00.00	05/10/2006	8.08	307	11.75
BHLL.B2050.00.00	05/10/2006	8.08	307	11.81
BHLL.B2075.00.00	05/10/2006	8.08	307	11.91
BHLL.B2100.00.00	05/10/2006	8.07	308	12.04
BHLL.B2125.00.00	05/10/2006	8.08	306	11.06
BHLL.B2150.00.00	05/10/2006	8.09	308	12.19
BHLL.B2175.00.00	05/10/2006	8.12	308	11.94
BHLL.B2200.00.00	05/10/2006	8.11	307	12.14
BHLL.B2225.00.00	05/10/2006	8.11	307	12.06
BHLL.B2250.00.00	05/10/2006	8.08	305	12.12
BHLL.B2275.00.00	05/10/2006	8.12	307	11.96
BHLL.B2300.00.00	05/10/2006	8.12	307	11.81
BHLL.B2325.00.00	05/10/2006	8.19	307	11.90
BHLL.B2350.00.00	05/10/2006	8.14	307	11.89
BHLL.B2375.00.00	05/10/2006	8.17	307	11.88
BHLL.B2400.00.00	05/10/2006	8.16	307	11.97
BHLL.B2425.00.00	05/10/2006	8.12	309	11.92
BHLL.B2450.00.00	05/10/2006	8.12	307	11.87
BHLL.B2475.00.00	05/10/2006	8.12	308	11.98
BHLL.B2500.00.00	05/10/2006	8.10	309	11.92
BHLL.B2525.00.00	05/10/2006	8.12	309	11.84
BHLL.B2550.00.00	05/10/2006	8.13	308	11.95
BHLL.B2575.00.00	05/10/2006	8.12	310	11.92
BHLL.B2600.00.00	05/10/2006	8.15	306	11.97
BHLL.B2625.00.00	05/10/2006	8.18	306	12.08
BHLL.B2650.00.00	05/10/2006	8.14	307	11.93
BHLL.B2675.00.00	05/10/2006	8.12	307	11.94
BHLL.B2700.00.00	05/10/2006	8.13	307	11.82

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

<b>Location</b>	<b>Date</b>	<b>pH, standard units</b>	<b>Specific Conductance umhos@25°C</b>	<b>Temperature °C</b>
BHLL.B2725.00.00	05/10/2006	8.12	306	12.22
BHLL.B2750.00.00	05/10/2006	8.12	306	11.88
BHLL.B2775.00.00	05/10/2006	8.15	306	12.15
BHLL.B2800.00.00	05/10/2006	8.16	303	11.84
BHLL.B2825.00.00	05/10/2006	8.15	308	11.73
BHLL.B2850.00.00	05/10/2006	8.14	306	11.64
BHLL.B2875.00.00	05/10/2006	8.13	307	11.79
BHLL.B2900.00.00	05/10/2006	8.20	305	11.89
BHLL.B2925.00.00	05/10/2006	8.16	308	11.85
BHLL.B2950.00.00	05/10/2006	8.22	305	11.90
BHLL.B2975.00.00	05/10/2006	8.21	306	11.77
BHLL.B3000.00.00	05/10/2006	8.15	307	11.76
BHLL.B3025.00.00	05/10/2006	8.15	312	11.32
BHLL.B3050.00.00	05/14/2006	8.15	284	6.92
BHLL.B3050.00.05	05/14/2006	8.02	303	9.65
BHLL.B3050.00.10	05/14/2006	8.12	303	9.73
BHLL.B3075.00.00	05/14/2006	8.16	287	7.20
BHLL.B3075.00.05	05/14/2006	8.01	302	9.53
BHLL.B3075.00.10	05/14/2006	8.07	303	9.74
BHLL.B3100.00.00	05/14/2006	8.09	284	6.89
BHLL.B3100.00.05	05/14/2006	8.10	302	9.41
BHLL.B3100.00.10	05/14/2006	8.09	303	9.69
BHLL.B3125.00.00	05/14/2006	8.06	283	6.81
BHLL.B3125.00.05	05/14/2006	7.84	302	9.62
BHLL.B3125.00.10	05/14/2006	7.94	303	9.70
BHLL.B3150.00.00	05/14/2006	8.07	298	8.61
BHLL.B3150.00.05	05/14/2006	8.05	303	9.68
BHLL.B3150.00.10	05/14/2006	8.06	303	9.71
BHLL.B3175.00.00	05/14/2006	8.08	294	8.53
BHLL.B3175.00.05	05/14/2006	7.99	303	9.66
BHLL.B3175.00.10	05/14/2006	8.02	303	9.75
BHLL.B3200.00.00	05/14/2006	8.07	303	9.75
BHLL.B3200.00.05	05/14/2006	8.05	303	9.75
BHLL.B3200.00.10	05/14/2006	8.03	303	9.74
BHLL.B3225.00.00	05/10/2006	8.13	302	11.78
BHLL.B3250.00.00	05/10/2006	8.14	303	11.68
BHLL.B3275.00.00	05/10/2006	8.21	303	11.98
BHLL.B3300.00.00	05/10/2006	8.16	304	11.99
BHLL.B3325.00.00	05/10/2006	8.19	304	11.87
BHLL.B3350.00.00	05/10/2006	8.16	303	11.26
BHLL.B3375.00.00	05/10/2006	8.16	303	11.07
BHLL.B3400.00.00	05/10/2006	8.15	304	11.59
BHLL.B3425.00.00	05/10/2006	8.14	304	11.69
BHLL.B3450.00.00	05/10/2006	8.14	302	11.50
BHLL.B3475.00.00	05/10/2006	8.12	303	11.40

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

<b>Location</b>	<b>Date</b>	<b>pH, standard units</b>	<b>Specific Conductance umhos@25°C</b>	<b>Temperature °C</b>
BHLL.B3500.00.00	05/10/2006	8.16	303	11.35
BHLL.B3525.00.00	05/10/2006	8.20	303	11.75
BHLL.B3550.00.00	05/10/2006	8.16	303	11.51
BHLL.B3575.00.00	05/10/2006	8.20	303	11.80
BHLL.B3600.00.00	05/10/2006	8.20	303	12.00
BHLL.B3625.00.00	05/10/2006	8.20	303	11.64
BHLL.B3650.00.00	05/10/2006	8.22	303	11.66
BHLL.B3675.00.00	05/10/2006	8.17	306	12.11
BHLL.B3700.00.00	05/10/2006	8.23	304	11.51
BHLL.B3725.00.00	05/10/2006	8.19	303	11.78
BHLL.B3750.00.00	05/10/2006	8.20	303	11.88
BHLL.B3775.00.00	05/10/2006	8.20	306	11.84
BHLL.B3800.00.00	05/10/2006	8.22	302	11.86
BHLL.B3825.00.00	05/10/2006	8.22	304	11.73
BHLL.B3850.00.00	05/10/2006	8.20	304	11.63
BHLL.B3875.00.00	05/10/2006	8.17	303	11.42
BHLL.B3900.00.00	05/10/2006	8.19	303	11.47
BHLL.B3925.00.00	05/10/2006	8.20	304	11.61
BHLL.B3950.00.00	05/10/2006	8.19	302	11.95
BHLL.B3975.00.00	05/10/2006	8.19	306	11.67
BHLL.B4000.00.00	05/10/2006	8.18	309	11.50
BHLL.B4025.00.00	05/10/2006	8.16	307	11.32
BHLL.B4050.00.00	05/10/2006	8.15	306	11.36
BHLL.B4075.00.00	05/10/2006	8.14	305	11.36
BHLL.B4100.00.00	05/10/2006	8.14	307	11.60
BHLL.B4125.00.00	05/10/2006	8.16	308	11.53
BHLL.B4150.00.00	05/10/2006	8.16	308	11.65
BHLL.B4175.00.00	05/10/2006	8.17	308	11.68
BHLL.B4200.00.00	05/10/2006	8.07	308	11.69
BHLL.B4225.00.00	05/10/2006	8.13	310	11.52
BHLL.B4250.00.00	05/10/2006	8.13	312	11.56
BHLL.B4275.00.00	05/10/2006	8.11	323	11.89
BHLL.B4300.00.00	05/10/2006	8.11	311	11.89
BHLL.B4325.00.00	05/10/2006	8.15	311	11.87
BHLL.B4350.00.00	05/10/2006	8.16	310	11.21
BHLL.B4375.00.00	05/10/2006	8.14	310	11.12
BHLL.B4400.00.00	05/10/2006	8.14	288	11.04
BHLL.B4425.00.00	05/10/2006	8.13	305	11.18
BHLL.B4450.00.00	05/10/2006	8.17	308	11.12
BHLL.B4475.00.00	05/10/2006	8.15	318	12.10
BHLL.B4500.00.00	05/10/2006	8.21	309	11.22
BHLL.B4525.00.00	05/10/2006	8.22	320	11.70
BHLL.B4550.00.00	05/10/2006	8.21	316	11.69
BHLL.B4575.00.00	05/10/2006	8.10	320	11.18
BHLL.B4600.00.00	05/10/2006	8.15	316	10.94

**Table 1**  
**Bay Harbor Lake Study**  
**Shoreline Water Quality Summary**

<b>Location</b>	<b>Date</b>	<b>pH, standard units</b>	<b>Specific Conductance umhos@25°C</b>	<b>Temperature °C</b>
<b>BHLL.B4625.00.00</b>	<b>05/10/2006</b>	8.09	316	11.08
<b>BHLL.B4650.00.00</b>	<b>05/10/2006</b>	8.15	310	11.36
<b>BHLL.B4675.00.00</b>	<b>05/10/2006</b>	8.12	315	11.78
<b>BHLL.B4700.00.00</b>	<b>05/10/2006</b>	8.12	312	11.14
<b>BHLL.B4725.00.00</b>	<b>05/10/2006</b>	8.14	306	10.99